



CE DECLARATION OF CONFORMITY

Manufacture **Senstar Corporation**
Address: **119 John Cavanaugh Rd**
Carp, Ontario
K0A 1L0, Canada
Product Name: **FP400 Fiber Optic Fence-Mounted Perimeter Intrusion Detection System**

We declare that the products listed below, where indicated, are in conformity with Directive **2011/65/EU** of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (“RoHS2”) as amended by Directive **2017/2102/EU**.

We further declare under our sole responsibility that the products listed below, where indicated, are in conformity with Directive **2014/30/EU** (“**EMC recast**”) and Directive **93/68/EEC (Marking)** based on test results using harmonized standards in accordance with the Directives mentioned.

EMC: EN 61000-6-4: 2007/A1:2011
Part 6-4: Generic Standards – Emission standard for industrial environments

EN 50130-4: 2011/A1:2014
Alarm systems – Part 4: Electromagnetic compatibility – Product family standard: Immunity requirements for components of fire, intruder, hold-up, CCTV, access control, and social alarm systems.

Safety: No voltages within this equipment exceed SELV levels. All interconnection points and ports are SELV.

Senstar Part Number	Description	RoHS 2	EMC	Marking	Year CE Mark First Affixed
F4EM0100	FiberPatrol FP400 processor in black aluminum panel-mount enclosure. Supports 4 detection zones	✓	✓	✓	2019
F4KT0200	FP400 Zone Kit. Includes one Start Module and one End Module for installation in field splice enclosures	✓	-	✓	2019
F4SP0100	Fiberoptic sensor/lead cable for FP400 applications, 12 fibers, black UV-resistant HDPE jacket, 6 mm OD, 250 m (820 ft.) reel	✓	-	✓	2019
F4SP0101	Fiberoptic sensor/lead cable for FP400 applications, 12 fibers, black UV-resistant HDPE jacket, 6 mm OD, 1000 m (3280 ft.) reel	✓	-	✓	2019
F4KT0100	Compact field splice enclosure	✓	-	✓	2019
GH1210-1000	1000-piece bag of UV-resistant Nylon 12 cable ties, 4.8 x 188 mm. (0.19 x 7.4 in.)	✓	-	✓	2019
FPKT0500	Sensor cable management kit for swinging gates. One (1) section of 5 cm. (2 in.) diameter split conduit 1 m (3 ft.) long and two (2) hose clamps	✓	-	✓	2019

Stewart Dewar / Product Manager

Senstar Corporation

25-November-2019